



Sergé

Fabric code

WS03A

OF 3%

Ultra wide range of proprietary woven screen fabrics. Unsurpassed flexibility, applicable in any kind of situation.



External and internal applications

The Screen Essentials



Fabric code

WS03A

OF 3%

The Screen Essentials Sergé

Yarn

Technical specifications	Average Values	Standard
Titer	165 tex	ISO 1889 (2009)
Weighted composition	Glass 41.5%, PVC 58.5%	ISO 3801 (1977)
Diameter	0.38 mm	
Environment		Oekotex standard 100

Fabric



Type of fabric	PVC-coated fiberglass fabric
Weave pattern	twill weave
Widths	1600, 1800, 2050, 2200, 2500, 2850, 3200 mm depending on colour (see overview on the right page)
Roll length (nominally)	50 m / 3200 mm: 33 m

Technical specifications	Average Values	Standard
Thickness	0.80 mm	ISO/DIS 5084.2 (1996)
Mass	544 g/m ²	ISO 3801 (1977)
Fire resistance	M1	NF P92-503 (1995)
	FR	NFPA 701 (2010)
	B1	DIN 4102 (1998)
	C-s3, d0	EN 13501-1 (2010)
Breaking strength	warp 310 daN, weft 230 daN	ISO 13934-1 (1999)
Elongation at break	warp 3.8%, weft 4.2%	ISO 13934-1 (1999)
Tear resistance	warp 10 daN, weft 13 daN	ISO 4674 part 1 method A (2003)
Acoustics	Qw: 0,10	ISO 354:2003
Colourfastness	7 scale of blue	ISO 105 B02 (1994)
Air porosity	1030 l/m ² /sec	ISO/DIS 9237 (1995)

The Quality Chain

General - specifications are purely indicative and may not be considered as binding. Colours may vary from the samples shown


Cutting	crush or ultrasonic; railroad or width out of roll width
Welding	thermal, HF, ultrasonic, sewing
Cleaning	remove dust from the fabric surface, then wipe gently with a humid soft sponge while using a mild detergent



Color	Color code	Name	1600 mm	1800 mm	2050 mm	2200 mm	2500 mm	2850 mm	3200 mm
	108101	grey-white	●	●	●	●	●	●	●
	108108	grey	●	●	●	●	●	●	●
	108118	grey-black	●	●	●	●	●	●	●
	118118	black	●	●	●	●	●	●	●
	108112	grey-sand	●	●	●	●	●	●	
	112101	sand-white	●	●	●	●	●	●	
	116101	linen-white	●	●	●	●	●	●	
	116116	linen	●	●	●	●	●	●	
	117101	pearl-white	●	●	●	●	●	●	
	117117	pearl	●	●	●	●	●	●	
	101101	white	●	●	●		●		
	108111	grey-dark blue	●	●	●		●		
	111111	dark blue	●	●	●		●		
	112112	sand	●	●	●		●		
	112113	sand-bronze	●	●	●		●		
	113105	bronze-tangerine	●	●	●		●		
	113113	bronze	●	●	●		●		
	113117	bronze-pearl	●	●	●		●		
	116111	linen-dark blue	●	●	●		●		
	116122	linen-lichen	●	●	●		●		
	117108	pearl-grey	●	●	●		●		
	117116	pearl-linen	●	●	●		●		
	108126	grey-caramel					●		
	108167	pacific					●		
	108197	agave					●		
	112103	sand-yellow					●		
	112156	fire					●		
	113108	bronze-grey					●		
	116108	linen-grey					●		
	118112	black-sand					●		
	118116	black-linen					●		
	118181	jamaica					●		
	118198	panther					●		

101101 white

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
	18.9	66.9	14.2	19	16.1	2.9	3.3	16.5	Class 1

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.2	0.35	0.18	0.36	0.14	0.35	0.09	0.25
Classes	2	2	2	1	3	1	4	2

108108 grey

Widths: 1600, 1800, 2050, 2200, 2500, 2850, 3200 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
	5.1	14.2	80.7	4.9	0.5	4.4	4.8	3.7	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.22	0.64	0.17	0.62	0.1	0.52	0.09	0.3
Classes	2	0	2	0	3	0	4	2

108112 grey-sand - A/B

Widths: 1600, 1800, 2050, 2200, 2500, 2850 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	4.4	21.6	74	4.2	1	3.2	3.6	3.3	Class 3
B	4.4	27.2	68.4	4.2	1	3.2	3.6	3.3	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.2	0.59	0.15	0.59	0.09	0.5	0.08	0.29
A Classes	2	0	2	0	4	1	4	2
B Values	0.18	0.56	0.14	0.56	0.09	0.48	0.08	0.28
B Classes	2	0	3	0	4	1	4	2

108101 grey-white - A/B

Widths: 1600, 1800, 2050, 2200, 2500, 2850, 3200 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	4.4	27.2	68.4	4.4	1.8	2.6	3	3.5	Class 3
B	4.4	38.9	56.7	4.4	1.8	2.6	3	3.5	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.18	0.56	0.14	0.56	0.09	0.48	0.08	0.28
A Classes	2	0	3	0	4	1	4	2
B Values	0.16	0.49	0.12	0.5	0.08	0.44	0.07	0.27
B Classes	2	1	3	1	4	1	4	2

108111 grey-dark blue - A/B

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	3.6	16.8	79.6	2.9	0.4	2.5	2.9	2.2	Class 3
B	3.6	18.9	77.5	2.9	0.4	2.5	2.9	2.2	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.2	0.62	0.15	0.61	0.09	0.51	0.08	0.29
A Classes	2	0	2	0	4	0	4	2
B Values	0.2	0.61	0.15	0.6	0.09	0.51	0.08	0.29
B Classes	2	0	2	0	4	0	4	2

108118 grey-black - A/B

Widths: 1600, 1800, 2050, 2200, 2500, 2850, 3200 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	3.7	12.7	83.6	3.7	0.4	3.2	3.6	2.7	Class 3
B	3.7	9.6	86.7	3.7	0.4	3.2	3.6	2.7	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.21	0.64	0.16	0.63	0.1	0.53	0.09	0.3
A Classes	2	0	2	0	4	0	4	2
B Values	0.22	0.66	0.17	0.65	0.1	0.54	0.09	0.3
B Classes	2	0	2	0	3	0	4	2

108126 grey-caramel - A/B

Width: 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	5	22.2	72.8	4.8	1.1	3.6	4	3.6	Class 3
B	5	28.9	66.1	4.8	1.1	3.6	4	3.6	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.2	0.59	0.15	0.58	0.1	0.5	0.08	0.29
A Classes	2	0	2	0	4	1	4	2
B Values	0.19	0.55	0.14	0.55	0.09	0.47	0.08	0.28
B Classes	2	0	3	0	4	1	4	2

108197 agave - A/B

Width: 2500 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	9.1	22.4	68.4	6.9	2	4.9	5.3	5.4	Class 2
B	9.1	24.3	66.5	6.9	2	4.9	5.3	5.4	Class 2

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.23	0.59	0.18	0.58	0.12	0.5	0.1	0.29
A Classes	2	0	2	0	3	1	4	2
B Values	0.22	0.58	0.18	0.57	0.12	0.49	0.09	0.29
B Classes	2	0	2	0	3	1	4	2

112101 sand-white - A/B

Widths: 1600, 1800, 2050, 2200, 2500, 2850 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	12.2	44.8	43	10.6	6	4.6	5.1	8.7	Class 1
B	12.2	50.6	37.2	10.6	6	4.6	5.1	8.7	Class 1

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.2	0.47	0.17	0.47	0.12	0.42	0.09	0.27
A Classes	2	1	2	1	3	1	4	2
B Values	0.19	0.43	0.16	0.44	0.11	0.41	0.08	0.26
B Classes	2	1	2	1	3	1	4	2

108167 pacific - A/B

Width: 2500 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	4.8	18.8	76.4	4.1	0.6	3.5	3.9	3.1	Class 3
B	4.8	22.9	72.3	4.1	0.6	3.5	3.9	3.1	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.21	0.61	0.16	0.6	0.1	0.51	0.08	0.29
A Classes	2	0	2	0	4	0	4	2
B Values	0.2	0.58	0.15	0.58	0.1	0.49	0.08	0.29
B Classes	2	0	2	0	4	1	4	2

111111 dark blue

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
	12.8	26.6	60.6	5.6	0.5	5.1	5.6	4.2	Class 1

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.25	0.57	0.2	0.57	0.14	0.48	0.11	0.29
Classes	2	0	2	0	3	1	3	2

112103 sand-yellow - A/B

Width: 2500 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	16.5	40.8	42.6	13.2	7.5	5.7	6.3	10.9	Class 0
B	16.5	42.4	41	13.2	7.5	5.7	6.3	10.9	Class 0

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.24	0.5	0.2	0.5	0.15	0.44	0.11	0.27
A Classes	2	1	2	1	3	1	3	2
B Values	0.24	0.49	0.2	0.49	0.15	0.43	0.11	0.27
B Classes	2	1	2	1	3	1	3	2

112112 sand

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
	8.2	38.3	53.5	6.7	3.1	3.7	4.2	5.5	Class 2

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.19	0.5	0.15	0.5	0.1	0.44	0.08	0.27
Classes	2	1	2	0	3	1	4	2

112156 fire - A/B

Width: 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	9.1	32.4	58.5	6.7	3.1	3.6	4	5.4	Class 2
B	9.1	29.6	61.3	6.7	3.1	3.6	4	5.4	Class 2

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.21	0.54	0.17	0.53	0.11	0.46	0.09	0.28
A Classes	2	0	2	0	3	1	4	2
B Values	0.21	0.55	0.17	0.55	0.11	0.47	0.09	0.28
B Classes	2	0	2	0	3	1	4	2

113108 bronze-grey - A/B

Width: 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	5.5	11.2	83.3	4.9	0.8	4.1	4.6	3.7	Class 3
B	5.5	14	80.5	4.9	0.8	4.1	4.6	3.7	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.23	0.65	0.17	0.64	0.11	0.53	0.09	0.3
A Classes	2	0	2	0	3	0	4	2
B Values	0.22	0.64	0.17	0.63	0.11	0.52	0.09	0.3
B Classes	2	0	2	0	3	0	4	2

112113 sand-bronze - A/B

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	4.2	28.5	67.3	3.7	1.3	2.4	2.7	2.9	Class 3
B	4.2	20.3	75.5	3.7	1.3	2.4	2.7	2.9	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.18	0.55	0.14	0.55	0.09	0.48	0.07	0.28
A Classes	2	0	3	0	4	1	4	2
B Values	0.2	0.6	0.15	0.59	0.09	0.5	0.08	0.29
B Classes	2	0	2	0	4	0	4	2

113105 bronze-tangerine - A/B

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	7	14.4	78.7	5.2	1.2	4.1	4.5	4	Class 3
B	7	20.6	72.5	5.2	1.2	4.1	4.5	4	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.23	0.64	0.18	0.62	0.12	0.52	0.1	0.3
A Classes	2	0	2	0	3	0	4	2
B Values	0.22	0.6	0.17	0.59	0.11	0.5	0.09	0.29
B Classes	2	0	2	0	3	0	4	2

113113 bronze

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
	4.8	9.1	86.1	4.7	0.5	4.2	4.6	3.5	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.23	0.67	0.17	0.65	0.11	0.54	0.09	0.3
Classes	2	0	2	0	3	0	4	2

113117 bronze-pearl - A/B

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	6.7	14.7	78.6	6.2	1.9	4.3	4.8	4.9	Class 3
B	6.7	20.9	72.4	6.2	1.9	4.3	4.8	4.9	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.23	0.64	0.18	0.62	0.11	0.52	0.09	0.3
A Classes	2	0	2	0	3	0	4	2
B Values	0.21	0.6	0.17	0.59	0.11	0.5	0.09	0.29
B Classes	2	0	2	0	3	0	4	2

116108 linen-grey - A/B

Width: 2500 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	12.2	39.4	48.4	9.7	5.1	4.6	5.1	7.9	Class 1
B	12.2	31.5	56.3	9.7	5.1	4.6	5.1	7.9	Class 1

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.21	0.5	0.18	0.5	0.12	0.44	0.09	0.27
A Classes	2	1	2	1	3	1	4	2
B Values	0.23	0.54	0.19	0.54	0.13	0.47	0.1	0.28
B Classes	2	0	2	0	3	1	4	2

116116 linen

Widths: 1600, 1800, 2050, 2200, 2500, 2850 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
	13.4	53.2	33.4	11	7.2	3.8	4.2	9.2	Class 1

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.19	0.42	0.16	0.43	0.12	0.4	0.09	0.26
Classes	2	1	2	1	3	1	4	2

116101 linen-white - A/B

Widths: 1600, 1800, 2050, 2200, 2500, 2850 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	15.2	56.8	28	13.5	9.8	3.7	4.2	11.5	Class 1
B	15.2	58.9	25.9	13.5	9.8	3.7	4.2	11.5	Class 1

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.2	0.4	0.17	0.41	0.13	0.39	0.09	0.26
A Classes	2	1	2	1	3	1	4	2
B Values	0.19	0.39	0.17	0.4	0.12	0.38	0.09	0.26
B Classes	2	1	2	1	3	1	4	2

116111 linen-dark blue - A/B

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	13.7	42	44.3	7.7	3.8	3.8	4.3	6.2	Class 2
B	13.7	35.3	51	7.7	3.8	3.8	4.3	6.2	Class 2

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.22	0.49	0.18	0.49	0.13	0.43	0.1	0.27
A Classes	2	1	2	1	3	1	4	2
B Values	0.23	0.52	0.19	0.52	0.14	0.46	0.1	0.28
B Classes	2	0	2	0	3	1	3	2

116122 linen-lichen - A/B

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	8	33.5	58.5	7.5	3.8	3.7	4.2	6.1	Class 2
B	8	21.3	70.7	7.5	3.8	3.7	4.2	6.1	Class 2

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.2	0.53	0.16	0.53	0.1	0.46	0.08	0.28
A Classes	2	0	2	0	3	1	4	2
B Values	0.22	0.6	0.18	0.59	0.12	0.5	0.09	0.29
B Classes	2	0	2	0	3	1	4	2

117101 pearl-white - A/B

Widths: 1600, 1800, 2050, 2200, 2500, 2850 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	7.2	46.9	45.9	5.8	3.3	2.4	2.8	4.7	Class 2
B	7.2	53.5	39.3	5.8	3.3	2.4	2.8	4.7	Class 2

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.16	0.45	0.13	0.46	0.09	0.42	0.07	0.27
A Classes	2	1	3	1	4	1	4	2
B Values	0.15	0.41	0.12	0.42	0.08	0.39	0.06	0.26
B Classes	3	1	3	1	4	1	4	2

117116 pearl-linen - A/B

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	7.2	43	49.8	5.4	2.6	2.8	3.2	4.4	Class 2
B	7.2	46.7	46.1	5.4	2.6	2.8	3.2	4.4	Class 2

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.17	0.47	0.14	0.48	0.09	0.43	0.07	0.27
A Classes	2	1	3	1	4	1	4	2
B Values	0.16	0.45	0.13	0.46	0.09	0.42	0.07	0.27
B Classes	2	1	3	1	4	1	4	2

118112 black-sand - A/B

Width: 2500 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	4.9	13.7	81.4	4.4	1.1	3.3	3.6	3.4	Class 3
B	4.9	21.2	73.9	4.4	1.1	3.3	3.6	3.4	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.22	0.64	0.17	0.63	0.1	0.52	0.09	0.3
A Classes	2	0	2	0	3	0	4	2
B Values	0.2	0.59	0.16	0.59	0.1	0.5	0.08	0.29
B Classes	2	0	2	0	4	1	4	2

117108 pearl-grey - A/B

Widths: 1600, 1800, 2050, 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	11	29.8	59.2	9.1	4.3	4.8	5.4	7.4	Class 2
B	11	25.5	63.6	9.1	4.3	4.8	5.4	7.4	Class 2

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.23	0.55	0.18	0.55	0.12	0.47	0.1	0.28
A Classes	2	0	2	0	3	1	4	2
B Values	0.23	0.58	0.19	0.57	0.13	0.49	0.1	0.29
B Classes	2	0	2	0	3	1	4	2

117117 pearl

Widths: 1600, 1800, 2050, 2200, 2500, 2850 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
	7.7	39.7	52.6	6	2.6	3.4	3.8	4.8	Class 2

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.18	0.49	0.15	0.5	0.1	0.44	0.08	0.27
Classes	2	1	3	1	4	1	4	2

118116 black-linen - A/B

Width: 2500 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	5.6	16.1	78.3	5.3	1.6	3.6	4	4.1	Class 3
B	5.6	26	68.4	5.3	1.6	3.6	4	4.1	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.22	0.63	0.17	0.61	0.11	0.52	0.09	0.29
A Classes	2	0	2	0	3	0	4	2
B Values	0.2	0.57	0.15	0.56	0.1	0.48	0.08	0.29
B Classes	2	0	2	0	4	1	4	2

118118 black

Widths: 1600, 1800, 2050, 2200, 2500, 2850, 3200 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
	2.6	5.2	92.2	2.6	0.3	2.3	2.6	2	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.22	0.69	0.16	0.67	0.1	0.55	0.09	0.3
Classes	2	0	2	0	4	0	4	2

118181 jamaica - A/B

Width: 2500 mm



Solar Heat & Light Control Properties


	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	6.7	13.7	79.6	6.3	1.6	4.7	5	4.9	Class 3
B	6.7	21.7	71.5	6.3	1.6	4.7	5	4.9	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.23	0.64	0.18	0.63	0.11	0.52	0.09	0.3
A Classes	2	0	2	0	3	0	4	2
B Values	0.21	0.59	0.17	0.59	0.11	0.5	0.09	0.29
B Classes	2	0	2	0	3	1	4	2

118198 panther - A/B

Width: 2500 mm



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	TVdif-h	Glare Control
A	4.5	9.6	86	4.2	0.7	3.5	3.8	3.2	Class 3
B	4.5	13.5	82	4.2	0.7	3.5	3.8	3.2	Class 3

g_{tot}

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
A Values	0.22	0.66	0.17	0.65	0.11	0.54	0.09	0.3
A Classes	2	0	2	0	3	0	4	2
B Values	0.21	0.64	0.16	0.63	0.1	0.52	0.09	0.3
B Classes	2	0	2	0	3	0	4	2